Full Length Research Paper

Analysis of dry season vegetable production in Owerri West Local Government Area of Imo State, Nigeria

U. C. Ibekwe¹ and O. M. Adesope²*

¹Department of Agricultural Economics, Federal University of Technology, Owerri, Nigeria. ²Department of Agricultural Economics and Extension, University of Port Harcourt, Port Harcourt, Nigeria.

Accepted 10 December, 2009

The study focused on the costs and returns of small-scale vegetable production in Owerri West Local Government Area of Imo State, Nigeria. A total of 150 respondents were interviewed using questionnaire. The production system and socio economic characteristics of the farmers were evaluated. Vegetable production was found to be profitable with a Benefit – Cost Ratio (BCR) of 1.64 and the return per capital invested was found to be 0.50k. The regression analysis showed that variables such as, cost of labour, cost of fertilizer, cost of planting materials, cost of irrigation, level of education, size of household, farming experience and farm size were significant at five percent level of significance. Formation of cooperative society by farmers' provision of appropriate planting materials and technologies were the methods recommended for amelioration of vegetable farmers' problem.

Key words: Dry season, vegetable production.

INTRODUCTION

The importance of vegetables as major and efficient sources of micronutrients in African diet cannot be over stressed. Vegetables are nourishing foods because they contain a little of all the substances man needs: protein, mineral salts, sugars, vitamins, aromatics, colouring agencies, iron and essential oils that increase man's resistance to disease. In this class of food, man finds the wide range of nutritive elements he needs. Vegetables are therefore complementary foods of the first order, and are much more important for man's health than products of animal origin (Hugues and Philippe, 1995).

Vegetable growers could make an important contribution to the national food supply where a healthy and expanding market gardening industry is a safeguard against the lowering of health standards necessary for productive output in an expanding economy (Tyndal, 1998): Shortage of animal protein causes illness, but this may be prevented by proper mixture of different vegetable protein that is equal in quality with animal protein. This calls for urgent need to intensifying the production of vegetable in Owerri Local Government Area and Imo State in general, especially during the dry season which is usually the period of scarcity of this important farm pro-

duct (vegetable). Growing vegetable is particularly suited for small scale farmers and their families, and because of their limited resources they can meet the cultivation requirement of irrigation by the use of watering can (Robert, 2003). Baffour et al. (2005) defined vegetable as the edible portion of an herbaceous annual or perennial crop which could either be served raw (green/fresh) or after a little cooking. Dry season vegetable production also called vegetable forcing in the production of vegetable outside the normal growing season using certain infras-tructures such as green houses, irrigation, watering can, etc.

In Nigeria, there are two distinct seasons, the rainy season and the dry season. The rainy season is the normal cropping season and this starts from April and stops in October, while the dry season starts from November and ends in March. During the rainy season, the production of vegetable is high resulting in the saturation of the market, but during the dry season there is usually the scarcity of this important farm product thereby leading to a high price due to short supply. This seasonality has resulted in food insecurity which is a challenge to sustainable food production. It has also been found that most farmers do not want to go into large scale production because they are apprehensive of high risk. This has made the farmer to grow vegetables as intercrop of low significance as a way of avoiding risk.

^{*}Corresponding author. E-mail: omadesope@yahoo.co.uk.

It is surprising that after two decades of horticultural research and extension activities in Nigeria, farmers are not yet sure and confident that the extra cost concomitant with the adoption of new technologies would bring extra benefits. This has implication for accurate assessment of the potentials of dry season vegetable production as a source of income for the farmer. This study therefore focused on cost-benefit analysis of vegetable production in the study area.

METERIALS AND METHODS

The study was conducted in Owerri West Local Government Area of Imo State, Nigeria. Imo State has a total population of two million four hundred and eighty five thousand six hundred and thirty five people (2,485, 635) according to National population Census (NPC, 1991). There are fifteen (15) autonomous communities in Owerri West Local Government Area. Owerri - West Local Government is located South-West of Owerri which is the State Capital and it is about 3 km off Owerri-Elele- Port -Harcourt Road. The people of the Local Government Area are predominantly small scale farmers they grow vegetables crops such as green (Amaranthus spp) water leaf (Talinum triangulare), fluted pumpkin (Telferia, occitentalis) tomatoes (Lycopersicon esculentum) pepper (Capsicum annum) among others.

Five (5) communities namely, Nekede, Obinze, Ihiagwa, Avu and Umuguma were purposely selected based on the high concentration of vegetable farmers. A total of 150 farmers were randomly selected from a list of vegetable farmers compiled for this study. This was made up of 30 farmers, from each of the 5 communities. Information collected included the socio-economic variables, average prices, input and outputs of vegetable farmers. This information was collected with structured and unstructured questionnaire. The information collected was analyzed using descriptive statistics such as means, frequency distributions percentages and charts. Also quantitative statistical tools such as regression analysis, F- ratio, t - ratio were applied on the data

The production function was implicitly stated as below.

$$Y = f(X_1, X_2, X_3, X_4, X_5, X_6, X_7, X_8, X_9, X_{10}, X_{11}, X_{12}, U)$$

Where

Output (N) X1 = Cost of labour

X2 =Cost of land

X3 =Cost of fertilizer

X4 =Cost of planting material

X5 =Cost of irrigation

X6 =Capital

X7 = Age of Respondent

X8 =Years of education

X9 =Size of Household X10 =Monthly income

X11 = Farming experience

X12 =Farm size

U= error term.

Four functional forms were tried and the lead equation was chosen on the basis of R², F - ratio, t - ratio and a priori expectations and the number of significant variables.

RESULTS AND DISCUSSION

The effect of the socio – economic factors on the output of dry - season vegetable production in Owerri West Local Government Area of Imo State was analysed and estimated using Ordinary Least Square Method of

Regression Analysis (OLS). Four functional forms were tried. The functional forms were: Linear, exponential, semi-log and double log forms. The exponential form was chosen on the basis of R2, F- statistics, t- ratio, number of variables significant and a priori expectations. The result of the exponential regression parameter estimates is presented in Table 1.

The result from Table 1 showed that the cost of fertilizer (X_3) , cost of planting materials (X_4) , cost of irrigation (X_5) , cost of labour (X_1) , the years of education (X_8) , household size (X₉), farming experience (X_{ii}) and farm size (X₁₂) are significant at five percent level of significance.

The regression analysis also showed that cost of labour (X_1) is negatively correlated with the vegetable producers' income. This means that an increase in the amount spent on this important farm input will lead to reduced income for the farmers, this is not surprising since labour in most farm operations claims more than 60% of total production cost. The cost of fertilizer (X₃) is also nega-tively correlated with farm income and significant at five percent level of significance. This shows that an increase in the amount spent on this variable will lead to decrease in income from vegetable production. This suggests an over use of the fertilizer to the point of diminishing returns. The cost of planting materials (X₄) is also nega-tively correlated with producers' income and significant at five percent. This means that an increase in the cost of planting material will reduce income from vegetable production. This may be attributed to the notice over population of the planting materials in the study area. The cost of irrigation (X_5) was found to be negatively correlated with vegetable producers' income and significant at five percent level. This means that an increase in the cost of irrigation will reduce the income from vegetable production. This could be a discouraging factor among the vegetable producers. Also over watering of the plants can lead to water logged farms which can lead to decreased level of vegetable production. The level of education (X₈) is positively correlated and significant at 5 five percent level of significance. This means that an increase in the level of education will lead to an increase in income from vegetable production. This is in line with a priori expectation. It is well known that formal education aids managerial ability of farmers. Household size (X₉) was found to be positively correlated with vegetable producers' income and significant at five percent level of significance. This suggests that an increase in the level of use of this variable will lead to increase in income from vegetable production. This has implication for provision of household labour which is an important variable in small scale production. Farming experience (X₁₁) was also found to be positively correlated and significant at five percent level of significance. This means that an increase in the years of experience of the producers will lead to an increase in income from vegetable production.

This is in line with a priori expectation of the study. Farm size (X_{12}) was found to be positively correlated with the

Table 1. Parameter estimates of exponential regression model.

Variable	Units of measurement	Estimated value	Standard arrow	t-ratio
Constant	Naira	0.8815	0.0241	
Cost of labour (X ₁)	Naira	-0.0042	0.0017	-2.4706*
Cost of land (X ₂)	Naira	- 0.0033	0-0029	-1.1379*
Cost of fertilizer (X3)	Naira	-0.0013	0.0003	-4.3333*
Cost of planting material (X4)	Naira	- 0.0037	0.0013	-2.8462*
Cost of irrigation (X5)	Naira	-0.0091	0.0029	-3.1379*
Capital (X6)	Naira	-0.0028	0.0021	-1.3333
Age of Respondent (X7)	Numbers	-0.0063	0.0058	-1.0862
Years of education (X8)	Number	0.0073	0.0031	2.3548*
Size of Household (X9)	Numbers	0.0011	0.0003	3.6667
Monthly income (X10	Naira	0.0052	0.0047	1.1064
Farming experience (X11)	Years	0.0069	0.0028	2.4643*
Farm size (X12)	Hectares	0.0046	0.0019	2.4211*

Source: Filed data, 2004. *- Significant at 5%; F - ratio =10.2909; R² =0.794.

farmers' income and significant at five percent. This implies that an increase in the magnitude of this important variable will definitely lead to an increase in income from vegetable production. This has implication for economy of scale. It is also important to note that Imo State and particularly the study area is land deficient as the average farm size was found to be 0.093 ha. This has implications for intensive agriculture and off farm incomes.

The value of the multiple regressions co-efficient (R^2) was found to be 0.794. This implies that the regression model accounted for about 79% of non zero variations in the study model. Since eight independent variables were significant in the regression model, this leads to the rejection of the null—hypothesis stated below.

Ho :
$$b_1 = b_2 = ... = b_9 = 0$$

And acceptance of the alternative hypothesis

Ha:
$$b_1 = b_2 = ... = b_9 = 0$$

Costs and returns analysis

The production cost—return analysis revealed the cost incurred and the revenue generated by the dry—season vegetable producers in the study area. The production cost comprised the total cost, which is made up of fixed cost and variable cost. While the revenue generated was made up of sales from the harvested product.

Fixed cost items in dry season vegetable production

Table 2 shows the fixed cost/terms and their values. The item with the highest fixed cost is the hoe while the one

with the least fixed cost is the basket. The average depreciated value of N775 per household was established in the study area. The straight-line method of depreciation with zero salvage value was adopted. This average depreciated value of N775 indicated a low capital investment and it has implications for the vicious cycle of poverty.

Average variable cost items per household

The variable cost items are presented in Table 3. The variable cost item with the highest value is the organic manure which has a value of N2368. This represented 26 percent of the total variable costs while the least variable cost item was the inorganic manure with a value of N30 per household. This accounted only for 4 percent of the total variable cost.

The average total revenue generated by the farmer was done using the net income model.

Where

NR = Net Revenue (N)
GM = Gross margin (N)
TFC = Total fixed cost (N)

The average total revenue in the study area was found to be N19, 763.00 and the total variable cost was also found to be N8981. The gross margin was then got by subtracting the total variable cost from the total revenue as shown below:

GM = N19,763.00 - N8981

= N10,782

Table 2. Fixed cost items in dry season vegetable production.

Asset type	Average number per household	Average cost per item N	Life span (years)	Depreciation (N)
Knife	1	300	4	75
Hoe	2	150	2	150
Basin	1	200	2	100
Range pole	1	300	5	60
Tape	1	200	2	100
Rope	1	50	1	50
Basket	1	40	1	40
Rake	1	150	2	75
Hand trowel	1	100	2	50
Watering can	1	150	2	75
Total		1640		775

Source field data; 2004.

Table 3. Average variable cost items per household.

Cost item	Amount (naira)	Percentage of cost
Cost of renting land	1400	16
Cost of Origin Manure	2368	26
Cost of inorganic manure	350	4
Cost of planning material	992	11
Cost of clearing	1288	14
Cost of ridging	778	9
Cost of weeding	1000	11
Cost of irrigation	805	9
Total	8981	100

Source: Field data; 2004.

The Net revenue was then calculated by subtracting the total fixed cost (TFC) which was found to be N775 from the gross—margin (10,782).

Net revenue = GM - TFC = N10,782 - N775 = N10.007.00

The financial viability of dry season vegetable production was performed using the return per capital invested.

Return per capital invested

= <u>Net Farm Income</u> Total Revenue

= <u>N10007</u> N19,763

= 0.50

The return per capital invested was found to be 0.50K.

This means that for every Naira invested by the vegetable producers, a 50 kobo gain is realized. The benefit cost ratio was also estimated.

Benefit cost ratio (BCR)

The dry season vegetable production is a viable venture since the benefit cost—ration is greater than 1.

1.64

Conclusion

The net farm income (NFI) and the return to Naira invested indicated that dry season vegetable production in Owerri – West Local Government Area is a viable and profitable venture. This profitable venture is undertaken

by rural families as an income support venture, but the level of investment in this profitable venture remains discouragingly low. This low investment has implications for vicious cycle of poverty among the vegetable-farming households. There is a need for increment in the area of land available for the vegetable producers to enable them enjoy the economics of scale since land in form of farm size was an important determinant of their production income other variables which have been found to be important determinants of vegetable producers income include: cost of labour, cost of fertilizer, level of education, cost of planting materials, farming experience, cost of irrigation and size of household. All these variables must be considered when designing a technological package for these resource poor farmers.

REFERENCES

Hugues D, Phillippe DL (1995). African gardens and orchards growing vegetables and fruits. Alphabet publishers, Owerri.

Kyei-Baffour et al (2005). Domestic water wells in peri-urban areas of Kumasi. In: Bobobee, E.Y.H and A. Bart-Plange (Eds.) Hunger without frontiers. Proceedings of the 2 nd West Africa Society of Agricultural Engineering, in Kumasi, Ghana, Sept. 2004. WASAE-GSAE. Printed by Design Press, KNUST, Kumasi. 222-234.

Robert JH (2003). Sustainable vegetable production for small farmers on problem soils in the Highland. Oxford university Press.

Tyndall HD (1998). Commercial vegetable Growing" Oxford University Press.